






# VALVE HEAD W9 TYPE K PTFE



ART. NO. 855542

## GENERAL

-  The KEOFITT CLASSIC W9 Sampling Valve is the original and leading sterilizable sampling valve in the world. Used in all industries for decades. More than 320 standard valve configurations. Unique serial no. for each valve\*.
-  The sampling valve can be used for any process sampling for microbiological, chemical and/or physical analysis.
-  **Cleaning/sterilizing:** Between batches: Valve in open position: Cleanable by means of CIP using the detergent solution suitable for the actual process media. Between samples: Valve in its normal closed position: cleanable by CIP as "Between batches" or the valve may be sterilized by means of steam SIP or chemical SIP using a procedure appropriate to the actual circumstances. For further advice, please contact Keofitt. Autoclavable.
-  Designed for sampling of liquids with a viscosity of up to approx. 1.000 cP containing no particles larger than Ø3 mm. Sampling of more viscous liquids is possible, only will it take longer (depending on process pressure).



## FEATURES

-  Installation: Threaded socket connection M22x1.5
-  Operation: Key ring handle - not included (#600076)
-  Membrane: PTFE (#850055)

## CERTIFICATION\*

- EU EC 1935/2004 · EU EC 2023/2006 · EU EC 10/2011 · DK No. 1248 10/2018 · ATEX 2014/34/EU
- PED 2014/68/EU · FDA CFR 21 §177.1550 · USP Class VI · Keofitt DoC

## TECHNICAL DATA

### Material (process contact)

- Membrane PTFE, WHITE (#850055)

### Material (without process contact)

- Steel parts AISI 303 (1.4305) / AISI 316L (1.4404)

### Membrane

- Article PTFE, WHITE (#850055)
- Certification\* · EU EC 1935/2004 · EU EC 2023/2006 · EU EC 10/2011 · DK No. 1248 10/2018 · FDA CFR 21 §177.1550 · USP Class VI · ADI Free · Keofitt DoC

### Pressure & Temperature



- Pressure 0 - 10 bar / 0 - 145 psi
- Temperature 1 - 150°C / 34 - 302°F
- Air supply -

### Net Weight

- kg/lbs 0.21 kg/0.462 lbs

### Spareparts





















- 778541 PARTS FOR W9 HEAD 855541/42/43/47



\*For further information and download please visit [www.keofitt.dk](http://www.keofitt.dk)





















# KEOFITT CLASSIC W9 SAMPLING VALVE - BODIES



|           |                   | WELDING BODIES  |   |   |   |   |
|-----------|-------------------|---|---|---|---|---|
|           |                   | TANK WELDING<br>Ø28   | PIPE WELDING 1"   | PIPE WELDING NW25   | IN-LINE VERTICAL  | IN-LINE HORIZONTAL  |
| W9 BODIES | HOSE PIECE        | <br>850001   | <br>850011   | <br>850014       | <br>850027*      | <br>850028*      |
|           | 1/2" TRI-CLAMP    | <br>850006   | <br>850010   | <br>On request   | <br>On request   | <br>On request   |
|           | THREAD M16X1,5    | <br>850015   | <br>850016   | <br>850018       | <br>On request   | <br>On request   |
|           | 1/2" WELDING ENDS | <br>850007 | <br>850019 | <br>On request | <br>On request | <br>On request |

\* ON REQUEST ONLY!



| CONNECTION BODIES  |   |   |   |   |  | TREAD   |
|--|---|---|---|---|--|---|
| VARIANT Ø50  | VARIANT Ø68   | MINI CLAMP  | CLAMP 1" & 1 1/2"   | CLAMP 2"  | CLAMP 3"   |   |
| <br>850008     | <br>850009     | <br>850036     | <br>850021           | <br>850003           | <br>850004     | <br>M28X1,5<br>850031<br>DIN 11851 DN 10<br>850040 |
| <br>850020     | <br>850013     | <br>850039     | <br>850022<br>850025 | <br>850005<br>850026 | <br>On request | <br>850037<br>M28X1,5                              |
| <br>On request | <br>On request | <br>On request | <br>850024           | <br>On request       | <br>On request |   |

